

the vault



**AMERICAN
DECORATIVE CEILINGS**

4510 East 71st Street
Cleveland, OH 44105
Off (216) 341-2222
Fax (800) 336-8501
Web www.am-dec.com

THE VAULT

Photo



Technical

PANEL SIZES: Standards are 2'x 5' thru 2'x 10'
Optional are 1'x 1' thru 4'x 10'

FINISHES: Standards are Mastic White (#F41M), Anodized PXL (F23), or GunMetal (F253). Custom painted are polyurethane epoxy (#F47). Mirrored/Brushed are polished brite (#FSP) Wood Laminates are (#F40??)

PLENUM: 8" minimum

PERFORATION: See Vault Perfs Selector.


INSULATION: Acoustical insulation is optional.

FIRE CODE: Class 1 Material (ASTM E84)

MATERIAL: Aluminum of appropriate thickness
Leeds - 70% Recycled Content


(Contact Factory for full Architectural Specification)

Installation




THE VAULT


Installation - Continued



Standard Joint




Reveal Joint




THE VAULT


□ Floating Edge Trim - Full Panels




□ Floating Edge Trim - Cut Panels




□ Wall Reveal Trim - Full Panels




□ Wall Reveal Trim - Cut Panels



□ Floating Cloudliner - Full Panels




□ Floating Cloudliner - Cut Panels




VAULT STANDARD PERFS


PATTERN P44 (1/16" round, 7/32" o.c., staggereds, 7% Open Area)




PATTERN P82 (1/8" round, 1/2" o.c., straights, 5% Open Area)




PATTERN P124 (3/16" round, 3/8" o.c., staggereds, 23% Open Area)




PATTERN P126 (3/16" round, 1" o.c., staggereds, 4% Open Area)




PATTERN P12S1 (3/16" square, 1/2" o.c., straights, 14% Open Area)




PATTERN P16S1 (1/4" square, 3/4" o.c., straights, 11% Open Area)



PATTERN P242 (3/8" round, 1" o.c., straights, 11% Open Area)



PATTERN P24S1 (3/8" square, 1-1/8" o.c., straights, 11% Open Area)




Note: Other Perforation Patterns Available at a Slight Upcharge. Contact Factory for Particulars.




VAULT PREMIUM PERFS


PATTERN P125 (3/16" round, 3/8" o.c., straights, 20% Open Area)




PATTERN P206 (5/16" round, 3/4" o.c., staggereds, 16% Open Area)




PATTERN P243 (3/8" round, 1-1/4" o.c., straights, 7% Open Area)




PATTERN P324 (1/2" round, 1" o.c., straights, 20% Open Area)




PATTERN P32S1 (1/2" square, 1" o.c., straights, 25 % Open Area)



PATTERN P08P5 (1/8" x 1-1/16" Rectangle, 1/2" x 1-1/2" o.c., 23% Open Area)



Color Selector Standard Colors are shown below above dotted area. Other finish options are at a premium.



Note: Finishes are electronic or graphic representations. For actual appearance Contact Factory for physical sample.



AMERICAN DECORATIVE CEILINGS

(ALL RIGHTS RESERVED)

CSVVAULTPE.PDF

Mail: Post Office Box 605605 - Cleveland, Ohio 44105
 Packages: 4510 East 71st St. - Cleveland, Ohio 44105
 Telephone: (216) 341-2222 - Fax: (800) 336-8501
 email: info@amer-dec.com